
11. IEHP 5010 837P PROFESSIONAL MEDI-CAL ENCOUNTER COMPANION GUIDE

Standard Medi-Cal Companion Guide (CG) Transaction Information

Effective January 1, 2019

IEHP Instructions related to Implementation Guides (IG) based

837 Health Care Claim: Professional Transaction based on ASC X12 Technical
Report Type 3 (TR3), Version 005010X222A1

Companion Guide Version Number: 1.8

This document Copyright © 2019 by Inland Empire Health Plan (IEHP). All rights reserved. It may be freely redistributed in its entirety provided that this copyright notice is not removed. It may not be sold for profit or used in commercial documents without the written permission of the copyright holder This document is provided “as is” without any express or implied warranty. Note that the copyright on the underlying ASC X12 Standards is held by IEHP on behalf of ASC X12

2019 © Companion Guide copyright by Inland Empire Health Plan

11. IEHP 5010 837P PROFESSIONAL MEDI-CAL ENCOUNTER COMPANION GUIDE

Table of Contents

Introduction	4
Intended Use	5
ISA Segment - Interchange Control Header.....	8
ISA Segment - Interchange Control Header.....	8
GS Segment - Functional Group Header.....	9
BHT – Beginning of Hierarchical Transaction	10
1000A -PER- Submitter EDI Contact Information.....	11
Loop 1000B -NM1- Receiver Name.....	11
Loop 2010AA -NM1- Billing Provider Name	12
Loop 2010AA -N3- Billing Provider Address	13
Loop 2010AA N4- Billing Provider City, State, Zip Code Information.....	13
Table 2 – Subscriber Detail.....	14
Loop 2000B -SBR- Subscriber Information	14
Loop 2010BA -SBR- Subscriber Name Information.....	14
Table 2 – Patient Detail.....	16
Loop 2300 -REF- Claim Identifier for Transmission Intermediaries	17
Loop 2320 -SBR- Other Subscriber Information.....	17
SE – Transaction Set Trailer	18
GE Segment – Functional Group Trailer	19
Frequently Asked Questions.....	20
Q7: What is IEHP’s policy on Billing Provider Address and 9-Digit Zip Codes?	20
https://ww3.iehp.org/en/providers/provider-pnp-manual/	21
IEHP’s website where the EDI manual and other resources are located.....	21
http://www.wpc-edi.com	21
Washington Publishing Company Implementation guides (TR3) can be purchased from this site.....	21
http://www.wedi.org	21
Workgroup for Electronic Data Interchange in Healthcare.....	21
http://www.cms.gov/Versions5010andD0/	21
CMS website that contains additional information and resources related to 5010.	21
Contact Information.....	22

11. IEHP 5010 837P PROFESSIONAL MEDI-CAL ENCOUNTER COMPANION GUIDE

Encounter Data Team Group Email Address.....	22
Veronica Aleman	22
1. https://ww3.iehp.org/en/providers/edi-manual/	Error! Bookmark not defined.
IEHP’s website where the EDI manual and other resources are located..	Error! Bookmark not defined.
http://www.wpc-edi.com	Error! Bookmark not defined.
Washington Publishing Company Implementation guides (TR3) can be purchased from this site.....	Error! Bookmark not defined.
2. http://www.wedi.org/	Error! Bookmark not defined.
Workgroup for Electronic Data Interchange in Healthcare.....	Error! Bookmark not defined.
CMS website that contains additional information and resources related to 5010.....	Error! Bookmark not defined.
P. Contact Information	Error! Bookmark not defined.

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Introduction

The Purpose of the Companion Guide

This document will provides a definitive statement of what Submitters must be able to support in this ANSI ASC X12N 837P Health Care Claims. This document is intended to outline the Administrative Simplification provisions of the Health Insurance Portability and Accountability Act of 1996 (HIPAA) and its associated rules.

This document does not outline the technical interface environment; including connectivity requirements and protocols.

This document will outline and provide specific Loops, Segments and Data Elements that are outlined for transactions exchanged with IEHP.

Loop ID	The Implementation Guide's identifier for a data loop within a transaction; the data loop consists of specific segments as identified in the HIPAA ANSI standard.
Segment ID	The Implementation Guide's identifier for a data segment.
Element ID	The Implementation Guide's identifier for a data element within a segment.
Element Name	A data element name as shown in the Implementation Guide. When the industry name differs from the Data Element Dictionary name, the more descriptive industry name is used.
Element Definition / Length	How the data element is defined in the Implementation Guide. For ISA and IEA Segments only, fields are of fixed lengths and are present whether or not they are populated. For this reason, field lengths are provided in this column after element definitions.
Valid Values	The valid values from the Implementation Guide that are used by IEHP.
Definition/Format	Definitions of valid values used by IEHP and additional information about IEHP data element requirements.

11. IEHP 5010 837p PROFESSIONAL MEDI-CAL ENCOUNTER COMPANION GUIDE

Intended Use

The Transaction Instruction component of this companion guide must be used in conjunction with an associated ASC X12 TR3. The instructions in this companion guide are not intended to be stand-alone requirements documents. This companion guide conforms to all the requirements of any associated ASC X12 TR3's and is in conformance with ASC X12's Fair Use and Copyright statements.

837P Health Care Claim: Professional Transaction

The version/Release/Industry Identifier Code and the applicable Functional Identifier Code must be transmitted to allow users to request changes to the electronic transactions formats. To request changes for consideration to the ASC X12 standards, please contact the HIPAA Designated Standards Maintenance Organizations web site at Washington Publishing Company <http://www.wpc-edi.com>.

File Size Limitations

ISA/ IEA transaction sets should not exceed 5,000 encounters. IEHP Also, it is highly recommended that Submitters when submitting larger numbers of encounters within each ST/SE transaction set, not to exceed 5,000 encounters.

Functional Acknowledgement/Reports

The 999-transaction set is designed to report on adherence to IG level edits and IEHP standard syntax errors.

Three (3) possible acknowledgement values are:

“A” – Accepted

“R” – Rejected

“E” – Partially Accepted; At Least One (1) Transaction Set Was Rejected

When viewing the 999 report, Submitters should navigate to the IK5 and AK9 segments. If an “A” is displayed in the IK5 and AK9 segments, the claim file is accepted and will continue processing. If an “R” is displayed in the IK5 and AK9 segments, an IK3 and an IK4 segment will be displayed. These segments indicate what loops and segments contain the error that requires correction so the interchange can be resubmitted. The third element in the IK3 segment identifies the loop that contains the error. The first element in the IK3 and IK4 indicates the segment and element that contain the error. The third element in the IK4 segment indicates the reason code for the error.

277CA – Claim Acknowledgement

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

The 277CA is used to acknowledge the acceptance or rejection of encounters submitted using a hierarchical level (HL) structure. The first level of hierarchical editing is at the Information Source level. The next level is at the Information Receiver level. The third hierarchical level is at the Billing Provider of Service level; and the fourth and final level is done at the Patient level. Edits received at any hierarchical level will stop and no further editing will take place.

Encounter Validation Response (EVR)

The response files will provide the following level of detail outlined below.

Three (3) Stage values are:

Stage 1 - File Level

- Record Count
- Rejected
- Accepted
- In Progress

Stage 2 - Encounter Level

- Duplicate
- Member Not Eligible
- Accepted for IEHP Validation
- Total Record Processed

Stage 3 - Validity

- Invalid
- Valid
- Total Record Validated
- Validity

IEHP adhere to DHCS Duplicate Logic

In order to ensure claim submitted are not duplicates of claim previously submitted, IEHP will perform header and detail level duplicate checking. If the header and/or detail level duplicate, checking determines that the file is a duplicate, the file will reject, and an error report will be returned to the submitters For the purposes of an 837 Professional service line, a duplicate would have the same following values as a previously submitted service line.

- Client Identification Number (CIN) – 2010BA NM109
- Date(s) of Service – 2400 DTP*472 DTP03 (can be a range)
- Rendering Provider – can be sourced from a variety of places

11. IEHP 5010 837p PROFESSIONAL MEDI-CAL ENCOUNTER COMPANION GUIDE

Stored for purposes of duplicate validation will be the value derived for rendering provider at the service line level. This derived value may have been submitted at a higher level where no other identifier was submitted at either the claim or service line. This derived value may also be either a Medi-Cal Provider ID or State License number depending upon the presence of an NPI. If no NPI is submitted because the provider is atypical, a submitted secondary identifier will be used. The order of priority for secondary identifiers is Medi-Cal Provider ID first and State License Number second.

- Procedure Code – 2400 SV101-2
- Procedure Modifier(s) – 2400 SV101-3,4,5,6
- Drug Code – 2410 LIN03 - Drug code is used when it is present

Conditional usage of Drug Code - When a submitted encounter is compared to previously submitted encounters and all other key fields match but one of the encounters has a drug code and the other does not – this situation is still identified as a duplicate. If all other key fields match and the drug codes are different, the situation is not a duplicate.

Phase 1(Inbound)

- File containing Twenty (25) encounters
- Files Structure must be 100% valid (999 Report)
- Validity must be 95% or higher (EVR Report)
- Results will be provided to the Submitters
- Three (3) rounds of test files will be required to move on the to Phase Two (2) testing

Phase 2 (Outbound)

- File containing Twenty (25) encounters will be uploaded to DHCS test environment
- Files Structure must be 100% valid (999 Report)
- EVR (XML) Encounter Validation Response (EVR)
- 277CA Claim Acknowledgement

Implementation

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

This section describes all of the EDI headers, tables, segments, loops and trailers supported by this Companion Guide. If a segment or a data element is not listed it is not supported. The Usage column indicates if the segment is required (R) or situational (S).

ISA Segment - Interchange Control Header

ISA Segment - Interchange Control Header

Usage	Ref Des.	Name	Code/Definition	Length
R	ISA01	Authorization Information Qualifier	No Authorization Sent "00"	2/2
R	ISA02	Authorization Information	(Filled with spaces)	10/10
R	ISA03	Security Information Qualifier	No Security Information "00"	2/2
R	ISA04	Security Information	(Filled with Spaces)	10/10
R	ISA05	Interchange ID Qualifier	Mutually Defined "ZZ"	2/2
R	ISA06	Interchange Sender ID	Noted: IEHP Expected Value. Assigned 3 Digit Sender ID	15/15
R	ISA07	Code Identifying Receiver	Mutually Defined "ZZ"	2/2
R	ISA08	Interchange Receiver ID	Receiver ID "00303" Note: IEHP Expected Value IEHP Receiver ID	15/15
R	ISA09	Interchange Date	YYMMDD format	6/6
R	ISA10	Interchange Time	HHMM format	4/4
R	ISA11	Repetition Separator	Carat "^ "Repetition Separator	1/1
R	ISA12	Interchange Control Version Number	Version 5 Release 1 "5010"	5/5

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

R	ISA13	Interchange Control Number	The Interchange Control Number, ISA13, must be identical to the associated Interchange Trailer IEA02.	9/9
R	ISA14	Acknowledgment Requested	No Interchange Acknowledgment Requested "0"	1/1
R	ISA15	Interchange Usage Indicator	Production Data "P" Test " T"	1/1
R	ISA16	Component Element Separator	Colon " : "Component Element Terminator	1/1
		Data Element Separator	Asterisk " * "Data Element	
		Segment Terminator	Tilde "~ " Segment Terminator	

GS Segment - Functional Group Header

Usage	Ref Des.	Name	Code/Definition	Length
R	GS01	Functional Identifier Code	Health Care Claim " HC"	2/2
R	GS02	Application Sender's Code	Noted: IEHP Expected Value. Assigned 3 Digit Sender ID	2/15
R	GS03	Application Receiver's Code	IEHP Receiver ID "00303" Note: IEHP Expected Value IEHP Receiver ID	2/15
R	GS04	Date	Date of Transmission "CCYYMMDD "	8/8
R	GS05	Time	Time of Transmission, 24 Hour Format "HHMM"	4/8

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

R	GS06	Group Control Number	GS06 must be unique within a single transmission that is, within a single ISA to IEA enveloping structure. Note: IEHP Expected Value GS06 be unique within all transmission over a period of time to be determined by the Sender	1/9
R	GS07	Responsible Agency Code	Accredited Standards Committee X12 "X"	1 / 2
R	GS08	Version/Release/Industry Identifier Code	005010X222A1	1/12

BHT – Beginning of Hierarchical Transaction

Usage	Ref Des.	Name	Code/Definition	Length
R	BHT01	Hierarchical Structure Code	Information Source, Subscriber, Dependent "0019"	4/4
R	BHT02	Transaction Set Purpose Code	Original "00" Note: IEHP Expected Value	2/2
R	BHT03	Reference Identification	The BHT03 is the number assigned by the originator to identify the transaction within the originator's business application system	1/50
R	BHT04	Date	Transaction Set Creation Date	8/8
R	BHT05	Time	Transaction Set Creation Time	4/8
R	BHT06	Transaction Type Code	Reporting "RP" Note: IEHP Expected Value	2/2

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

1000A -PER- Submitter EDI Contact Information

Usage	Ref Des.	Name	Code/Definition	Length
R	PER01	Contact Function Code	Information Contact "IC" Note: IEHP Expected Value	2/2
S	PER02	Name	Submitter Contact Name	1/60
R	PER03	Communication Number Qualifier	Telephone "TE" Note: IEHP Expected Value	2/2
R	PER04	Communication Number		1/256
S	PER05	Communication Number Qualifier	Email Address "EM"	2/2
S	PER06	Communication Number		1/256
S	PER07	Communication Number Qualifier	Submitter's Fax Number "FX"	2/2
S	PER08	Communication Number		
N	PER09	Contact Inquire Reference		1/20

Loop 1000B -NM1- Receiver Name

Usage	Ref Des.	Name	Code/Definition	Length
R	NM101	Entity Identifier Code	Receiver "40"	2/3
R	NM102	Entity Type Qualifier	Non-Person Entity "2"	1/1
R	NM103	Name Last or Organization Name	Inland Empire Health Plan "IEHP" Note: IEHP Expected Value	1/60
N	NM104	Name First		1/35

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Usage	Ref Des.	Name	Code/Definition	Length
N	NM105	Name Middle		1/25
N	NM106	Name Prefix		1/10
N	NM107	Name Suffix		1/2
R	NM108	Identification Code Qualifier	Electronic Transmitter Identification Number (ETIN) "46"	2/80
R	NM109	Identification Code	Receiver Primary Identifier "00303" Note: IEHP Expected Value Should match ISA06 and GS03	2/80

Loop 2010AA -NM1- Billing Provider Name

Usage	Ref Des.	Name	Code/Definition	Length
R	NM101	Entity Identifier Code	Billing Provider "85"	2/3
R	NM102	Entity Type Qualifier	Person "1" Non-Person Entity "2"	1/1
R	NM103	Name Last or Organization Name		1/60
S	NM104	Name First	Billing Provider First Name	1/35
S	NM105	Name Middle	Billing Provider Middle Name or Initial	1/25
N	NM106	Name Prefix		1/10
S	NM107	Name Suffix	Billing Provider Name Suffix	1/10
S	NM108	Identification Code Qualifier	Centers for Medicare and Medicaid Services National Provider Identifier "XX"	1/2
S	NM109	Identification Code	Billing Provider Identifier	2/80

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Loop 2010AA -N3- Billing Provider Address

Usage	Ref Des.	Name	Code/Definition	Length
R	N301	Address Information	Billing Provider Address Line Note: IEHP Expected Value Physical Address	1/55
S	N302	Address Information	Billing Provider Address Line Note: IEHP Expected Value Physical Address	1/55

Loop 2010AA N4- Billing Provider City, State, Zip Code Information

Usage	Ref Des.	Name	Code/Definition	Length
R	N401	City Name	Billing Provider City Name Street address required. Post Office Box NOT allowed.	2/30
S	N402	State or Province Code	Billing Provider State or Province Code "CA" NOTE: IEHP Expected Value.	2/2
S	N403	Postal Code	Billing Provider Postal Zone or Zip Note: IEHP Expected Value. Full (9) digit Zip Code required. If last (4) digits are not available, populate with "9998".	3/15
S	N404	Country Code		2/3
N	N405	Location Qualifier		1/30
S	N407	Country Subdivision Code		1/3

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Table 2 – Subscriber Detail

Loop 2000B -SBR- Subscriber Information

Usage	Ref Des.	Name	Code/Definition	Length
R	SBR01	Payer Responsibility Sequence Number Code	Secondary “S”	1/1
S	SBR02	Individual Relationship Code	Self “18”	2/2
S	SBR03	Reference Identification	Note: IEHP Expected Value SBR03& SBR04 Must Not Be Used Simultaneously	1/50
S	SBR04	Name	Medical “MED” Note: IEHP Expected Value SBR04 & SBR03) Must Not Be Used Simultaneously	1/60
S	SBR05	Type Code		1/3
N	SBR06	Coordination of Benefits Code		1/1
N	SBR07	Yes/ No Condition or Response Code		1/1
D	SBR08	Employment Status Code		2/2
S	SBR09	Claim Filing Indicator Code	Medical “MC” Note: IEHP Expected Value.	1/2

Loop 2010BA -SBR- Subscriber Name Information

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Usage	Ref Des.	Name	Code/Definition	Length
R	NM101	Entity Identifier Code	Insured or Subscriber “IL”	2/3
R	NM102	Entity Type Qualifier	Person “1” Note: IEHP Expected Value.	1/1
R	NM103	Name Last or Organization Name	Subscriber Last Name	R
S	NM104	Name First	Subscriber First Name	1/35
S	NM105	Name Middle	Subscriber First Middle	1/25
S	NM106	Name Prefix		1/10
S	NM107	Name Suffix	Subscriber Name Suffix	1/10
S	NM108	Identification Code Qualifier	Member Identification Number “MI” Note: IEHP Expected Value	1/2
S	NM109	Identification Code	Note: IEHP Expected Values IEHP-14-digit IEHP ID or Client Identification Number (CIN)	2/80
N	NM110	Entity Relationship Code		2/2
N	NM111	Entity Identifier Code		2/3
N	NM112	Name Last or Organization Name		1/60

Loop 2010BB -NM1- Payer Name

Usage	Ref Des.	Name	Code/Definition	Length
R	NM101	Entity Identifier Code	Payer “PR”	2/3

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Usage	Ref Des.	Name	Code/Definition	Length
R	NM102	Entity Type Qualifier	Non- Person Entity “2”	1/1
R	NM103	Name Last or Organization Name	“IEHP” or “Inland Empire Health Plan” Note: IEHP Expected Value	1/60
N	NM104	Name First		1/35
N	NM105	Name Middle		1/25
N	NM106	Name Prefix		1/10
N	NM107	Name Suffix		1/10
R	NM108	Identification Code Qualifier	Payer Identification “PI” Note: IEHP Expected Value	1/2
R	NM109	Identification Code	IEHP Receiver ID“00303” Note: IEHP Expected Value.	2/80
N	NM110	Entity Relationship Code		2/2
N	NM111	Entity Identifier Code		2/3
N	NM112	Name Last or Organization Name		1/60

Table 2 – Patient Detail

Loop 2300 -CN1- Contract Information

Usage	Ref Des.	Name	Code/Definition	Length
R	CN101	Contract Type Code	Per Diem “02” Capitated “05” Other “09” Note: IEHP Expected Values.	2/2

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Usage	Ref Des.	Name	Code/Definition	Length
S	CN102	Monetary Amount	Must match AMT02 in loop 2320 and the sum of all SVD02 segments in Loops 2430.	1/18
S	CN103	Percent, Decimal Format	Contract Percentage	1/6
S	CN104	Reference Identification	Contract Code	1/50
S	CN105	Terms Discount Percent	Terms Discount Percentage	1/6
S	CN106	Version Identifier	Contract Version Identifier	1/30

Loop 2300 -REF- Claim Identifier for Transmission Intermediaries

Usage	Ref Des.	Name	Code/Definition	Length
R	REF01	Reference Identification Qualifier	Claim Number "D9"	2/3
R	REF02	Reference Identification	Unique number. It is acceptable to use the same number from Loop 2300, CLM01.	1/50

Loop 2320 -SBR- Other Subscriber Information

Usage	Ref Des.	Name	Code/Definition	Length
R	SBR01	Payer Responsibility Sequence Number Code	Primary "P "	1/1
R	SBR02	Individual Relationship Code	Self "18"	2/2
S	SBR03	Reference Identification		1/50

11. IEHP 5010 837p PROFESSIONAL MEDI-CAL ENCOUNTER COMPANION GUIDE

Usage	Ref Des.	Name	Code/Definition	Length
S	SBR04	Other Insured Group Name	Medical "MED" Note: IEHP Expected Value	1/60
S	SBR05	Type Code		1/3
N	SBR06	Coordination of Benefits Code		1/1
N	SBR07	Yes/No Condition or Response Code		1/1
N	SBR08	Employment Status Code		2/2
S	SBR09	Claim Filing Indicator Code	Medi-Cal "MC" Note: IEHP Expected Value	1/2

Loop 2400 -CN1- Contract Information

Usage	Ref Des.	Name	Code/Definition	Length
R	CN101	Contract Type Code	Per Diem "02" Capitated "05" Other "09"	2/2
S	CN102	Monetary Amount	Contract Amount	1/18
S	CN103	Percent, Decimal Format	Contract Percentage	1/6
S	CN104	Reference Identification	Contract Code	1/50
S	CN105	Terms Discount Percent	Terms Discount Percentage	1/6

Trailer Segments

SE – Transaction Set Trailer

11. IEHP 5010 837p PROFESSIONAL MEDI-CAL ENCOUNTER COMPANION GUIDE

Usage	Ref Des.	Name	Code/Definition	Length
R	SE01	Number of Included Segments	Transaction Segment Count	1/10
R	SE02	Transaction Set Control Number	The Transaction set control number in ST02 and SE02 must be identical. The number must be unique within a specific interchange (ISA-IEA) but can repeat in other interchanges.	4/9

GE Segment – Functional Group Trailer

Usage	Ref Des.	Name	Code/Definition	Length
R	GE01	Number of Transaction Sets Included	Total number of transaction sets included in the functional group or interchange transmission group terminated by the trailer containing this data element	1/6
R	GE02	Group Control Number	Assigned number originated and maintained by the Sender	1/9

IEA Segment - Interchange Control Trailer

Usage	Ref Des.	Name	Code/Definition	Length
R	IEA01	Number of Included Functional Groups	Account of the number of functional groups included in an interchange	1/5
R	IEA02	Interchange Control Number	A control number assigned by the interchange Sender	9/9

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Frequently Asked Questions

Q1: What is Encounter Data? Does it include any claims data submitted from providers to plans?

A1: Encounter Data comprises any claims data information entered in the 5010 format.

Q2: What does adjudicated mean?

A2: Adjudicated claims are those that approved accepted or denied claims

Q3: Will revenue codes be a required field for encounter submissions?

A3: Yes, revenue codes will be a required field of the 5010 837 format

Q4: Are Submitters required to submit encounter data weekly or monthly?

A4: Currently, Submitters are required to submit encounter data monthly. However, IEHP strongly recommend that plans submit more frequently.

Q5: Will the National Provider Identification (NPI) number be required for claims submission?

A5: Yes, NPI will be required.

Q6: Where do I find information on file naming conventions, connectivity protocol, and file transfer procedures?

A6: Please refer to the EDI manual published at <http://ww2.iehp.org/IEHP/Providers/Information+Resources/HandbooksandManuals/EDIManual.htm> for information regarding the above areas. For File Naming conventions see Section 6 Claims Processing Procedures and connectivity protocol see Section 2 Getting Started SFTP.

Q7: What is IEHP's policy on Billing Provider Address and 9-Digit Zip Codes?

A7: IEHP supports the instructions in the Technical Report Type 3 (TR3) implementation guides (IG) available for purchase from Washington Publishing Company <http://www.wpc-edi.com> regarding Billing Provider Address and 9-digit zip codes. Therefore, the Billing Provider Address (2010AA, N3) is required and must be a physical address. PO Box and lock box addresses cannot be reported as a Billing Provider Address, but can continue to be reported in the pay-to address (2010AB, N3). The 5010 requires that all used N403 segments must contain a full 9-digit zip code. The best way to determine the 4-digit extension to your standard zip code is by contacting the US postal Service. <https://tools.usps.com/go/ZipLookupAction!input.action>. These instructions apply to all encounters for all healthcare Submitters.

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Q8: Will IEHP new member ID card start with a four (4)?

A: As of April 1, 2018 with IEHP Go-Live, all NEW IEHP Member's ID numbers will start with a four (4). Keep in mind that if a Member was active in the past, they will retain the ID number they had when they originally were with IEHP; this is so that IEHP can maintain Member Continuity. In addition to IEHP member ID's ending in '00', new IEHP members will receive an auto numbered ID beginning with 4XXXXXXXXXXXX00.

Q9: What will the New MBI Medicare Beneficiary ID look like?

A9: The MBI will be different from the HICN and RRB number. The MBI will have 11-characters in length. The MBI will consist of numbers and uppercase letters no special characters.

Other Resources

<https://ww3.iehp.org/en/providers/provider-pnp-manual/>

IEHP's website where the EDI manual and other resources are located.

<http://www.wpc-edi.com>

Washington Publishing Company Implementation guides (TR3) can be purchased from this site.

<http://www.wedi.org>

Workgroup for Electronic Data Interchange in Healthcare.

<http://www.cms.gov/Versions5010andD0/>

CMS website that contains additional information and resources related to 5010.

11. IEHP 5010 837p PROFESSIONAL MEDICAL ENCOUNTER COMPANION GUIDE

Contact Information

Encounter Data Team Group Email Address

Veronica Aleman

IT- Specialist Encounter Data Lead

(909) 890-2091

Aleman-V@iehp.org

Kevin Johnson

IT- Specialist Encounter Data III

(909)-727-5249

Johnson-K@iehp.org

Neftali Rivera

Database Specialist I

(909)-727-5110

rivera-n@iehp.org

Audrey Kelley

Encounter Data Manager

(951) 374-3376

kelley-A@iehp.org