



Medicare HEDIS® Performance Summary

HEDIS® Measures for Medicare	HEDIS MY 2020	HEDIS MY 2021	HEDIS MY 2022	HEDIS 2022 Percentile (Plan Rating)	Percentile movement
Acute Hospital Utilization[^] <i>Observed-to-Expected Ratio – Total Acute – 65+ years</i>	0.48	0.51	0.58	90 th (5)	↔
Adherence to Antipsychotic Medications for Individuals with Schizophrenia	78.97%	76.78%	75.54%	33.33 rd (3)	↔
Antidepressant Medication Management <i>Continuation Phase Treatment</i>	64.84%	64.75%	73.10%	66.67 th (4)	↑
Blood Pressure Control for Patients With Diabetes	62.04%	65.21%	73.48%	33.33 rd (3)	↔
Breast Cancer Screening	64.45%	65.29%	66.70%	10 th (2)	↔
Care for Older Adults					
<i>Medication Review</i>	85.89%	84.67%	89.43%	No benchmark available	
<i>Pain Assessment</i>	86.13%	86.37%	88.40%		
Colorectal Cancer Screening	67.88%	59.85%	66.42%	33.33 rd (3)	↑
Controlling High Blood Pressure	59.37%	66.91%	73.05%	33.33 rd (3)	↑
Emergency Department Utilization[^] <i>Observed-to-Expected Ratio – 65+ years</i>	1.06	1.17	1.24	<10 th (1)	↔
Eye Exam for Patients With Diabetes	68.13%	69.83%	73.48%	33.33 rd (3)	↔
Flu Vaccinations for Adults <i>Ages 65 and older</i>	67.91%	66.46%	Not fielded in MY 2022 due to D-SNP transition		
Follow-Up After Emergency Department Visit for Substance Use <i>7-Day Follow-Up</i>	1.65%	3.01%	21.00%	33.33 rd (3)	↑↑
Follow-Up After Hospitalization for Mental Illness <i>7-Day Follow-Up</i>	34.49%	37.41%	36.84%	66.67 th (4)	↔
Follow-Up After Emergency Department Visit for Mental Illness <i>7-Day Follow-Up</i>	34.18%	38.73%	43.68%	66.67 th (4)	↔
Follow-Up After High Intensity Care for Substance Use Disorder <i>7-Day Follow-Up</i>	15.38%	17.54%	8.97%	<10 th (1)	↓↓
Follow-Up After Emergency Department Visit for People with Multiple High-Risk Chronic Conditions <i>Ages 65+</i>	52.35%	50.54%	50.38%	10 th (2)	↔
Hemoglobin A1c Control for Patients with Diabetes					
<i>HbA1c Poor Control (>9.0%)*</i>	30.17%	25.30%	20.92%	33.33 rd	↑
<i>HbA1c Control (<8.0%)</i>	61.07%	61.80%	68.37%	33.33 rd (3)	↑



Medicare HEDIS® Performance Summary

HEDIS® Measures for Medicare	HEDIS MY 2020	HEDIS MY 2021	HEDIS MY 2022	HEDIS 2022 Percentile (Plan Rating)	Percentile movement
Hospitalization Following Discharge From a Skilled Nursing Facility <i>30-Day Rate</i>	0.81	0.85	0.67	90 th (5)	↑
Hospitalization for Potentially Preventable Complications[^] <i>Observed-to-Expected Ratio Total</i>	0.32	0.32	0.42	90 th (5)	↔
Initiation and Engagement of AOD Dependence Treatment <i>Engagement of AOD Treatment: Total</i>	2.94%	3.22%	2.76%	10 th (2)	↓
Kidney Health Evaluation for Patients With Diabetes	49.22%	53.53%	55.89%	66.67 th (4)	↔
Non-Recommended PSA-Based Screening in Older Men [^]	30.06%	35.02%	36.23%	10 th (2)	↔
Osteoporosis Management in Women Who Had a Fracture	22.22%	23.53%	25.62%	10 th (2)	↑
Osteoporosis Screening in Older Women (OSW)	32.84%	30.65%	37.63%	10 th (2)	↔
Pharmacotherapy Management of COPD Exacerbation					
<i>Systemic Corticosteroid</i>	75.62%	75.95%	76.56%	33.33 rd (3)	↔
<i>Bronchodilator</i>	91.04%	91.08%	90.77%	66.67 th (4)	↓
Pharmacotherapy for Opioid Use Disorder	12.50%	33.33%	31.38%	10 th	↓
Plan All-Cause Readmissions					
<i>Observed-to-Expected Ratio[^] - 65+ years</i>	0.99	1.09	1.16	10 th (1)	↓
Pneumococcal Vaccination Status for Older Adults	60.44%	59.72%	Not fielded in MY 2022 due to D-SNP transition		
Potentially Harmful Drug-Disease Interactions in Older Adults [^] <i>Total</i>	39.01%	38.01%	40.54%	<10 th (1)	↓
Risk of Continued Opioid Use <i>31-day Rate</i>	15.71%	15.33%	14.17%	<10 th (1)	↔
Statin Therapy for Patients with Cardiovascular Disease					
<i>Received Statin Therapy: Total</i>	77.93%	78.33%	79.04%	<10 th (1)	↔
<i>Statin Adherence 80%: Total</i>	77.89%	77.42%	78.93%	<10 th (1)	↔
Statin Therapy for Patients with Diabetes					
<i>Received Statin Therapy</i>	73.43%	75.81%	79.05%	33.33 rd (3)	↑
<i>Statin Adherence 80%</i>	77.45%	76.07%	78.46%	10 th (2)	↑
Transition of Care					
<i>Notification of Inpatient Admission: 65+</i>	5.56%	7.78%	12.41%	10 th (2)	↔
<i>Receipt of Discharge Information: 65+</i>	9.83%	7.04%	5.84%	10 th (2)	↓



Medicare HEDIS® Performance Summary

HEDIS ® Measures for Medicare	HEDIS MY 2020	HEDIS MY 2021	HEDIS MY 2022	HEDIS 2022 Percentile (Plan Rating)	Percentile movement
<i>Patient Engagement after Inpatient Discharge: 65+</i>	87.18%	86.67%	88.32%	33.33 rd (3)	↔
<i>Medication Reconciliation Post-Discharge: 65+</i>	70.94%	67.41%	67.88%	33.33 rd (3)	↔
Use of High-Risk Medications in Older Adults[^] <i>Total</i>	20.18%	20.41%	21.40%	10 th (2)	↔
Use of Opioids at High Dosage[^]	4.56%	4.57%	4.47%	33.33 rd (3)	↔
Use of Opioids from Multiple Providers[^] <i>Multiple Prescribers and Multiple Pharmacies</i>	1.49%	2.00%	1.68%	<10 th (1)	↔

All benchmarks noted in this report are based on the 2022 NCQA Health Plan Ratings Percentiles, the 2021 NCQA Quality Compass National Benchmarks, and the 2021 Audit Means and Percentiles for Medicare

* Rate calculated per 1000 Members

~ Inverted rate

[^] Lower rate is better

Performance Summary Keys:

↓	Indicates a decrease in the percentile ranking as compared to the previous measurement year. Each arrow down reflects a level of change in the percentile ranking. (e.g. a measure that went from the 75th percentile to the 50th percentile will display one down arrow)
↑	Indicates an increase in the percentile ranking as compared to the previous measurement year. Each arrow up reflects a level of change in the percentile ranking. (e.g. a measure that went from the 25th percentile to the 75th percentile will display two up arrows)
↔	Indicates no change in the percentile ranking as compared to the previous measurement year.

Plan Rating	National Percentile Range
1	≤10 th percentile
2	>10 th and ≤33 rd percentile
3	>33 rd and ≤66 th percentile
4	>66 th and ≤90 th percentile
5	>90 th percentile